










EURO SEPTEMBER 2009 PRICE LIST

Item	Model	Description	Euro
FLATSAT –AUTOMATIC SATELLITE SYSTEM			
	09942	FLATSAT EASY 50 Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 50 cm dish antenna	2.238
	09943	FLATSAT EASY 65 Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 65 cm dish antenna	2.378
	09944	FLATSAT EASY 85 Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 85 cm dish antenna	2.480
	09928	FLATSAT DIGITAL 50 2 CI Automatic researching system with CI DIGITAL receiver with MIR, 50 cm dish antenna 2 COMMON INTERFACE	2.678
	09929	FLATSAT DIGITAL 65 2 CI Automatic researching system with CI DIGITAL receiver with MIR, 65 cm dish antenna 2 COMMON INTERFACE	2.722
	09930	FLATSAT DIGITAL 85 2 CI Automatic researching system with CI DIGITAL receiver with MIR, 85 cm dish antenna 2 COMMON INTERFACE	2.824
FLATSAT SKEW – AUTOMATIC SATELLITE SYSTEM			
	09948	FLATSAT EASY 65 SKEW Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 65 cm dish antenna + automatic GPS SKEW	2.826
	09952	FLATSAT EASY 85 SKEW Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 85 cm dish antenna + automatic GPS SKEW	2.926
	09932	FLATSAT DIGITAL 65 2 CI SKEW Automatic researching system with CI DIGITAL receiver with MIR, 65 cm dish antenna 2 COMMON INTERFACE+ automatic GPS SKEW	3.170
	09933	FLATSAT DIGITAL 85 2 CI SKEW Automatic researching system with CI DIGITAL receiver with MIR, 85 cm dish antenna 2 COMMON INTERFACE + automatic GPS SKEW	3.272
FLATSAT CLASSIC – AUTOMATIC SATELLITE SYSTEM			
	11882	FLATSAT CLASSIC EASY 65 Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 65 cm dish antenna	2.246
	11889	FLATSAT CLASSIC EASY 85 Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 85 cm dish antenna	2.342
	11877	FLATSAT CLASSIC DIGITAL 65 Automatic researching system with CI DIGITAL receiver with MIR, 65 cm dish antenna 2 COMMON INTERFACE	2.590
	11878	FLATSAT CLASSIC DIGITAL 85 Automatic researching system with CI DIGITAL receiver with MIR, 85 cm dish antenna 2 COMMON INTERFACE	2.686
INTERNET SAT 85 (INTERNET & TV) – AUTOMATIC SATELLITE SYSTEM			
	11352	INTERNET SAT 85 Automatic researching system without receiver piloted by wall-mounted Mini Remote Control, 85 cm dish antenna, double LNB for Internet connection, TV reception, Modem	3.990
OPTIONS ON DEMAND FOR FLATSAT			
		TWIN Universal LNB to connect 2 receivers, with independent operation to a single dish	184
		QUAD Universal LNB to connect 4 receivers, with independent operation to a single dish (65-85 without SKEW only)	440
	09810	15 MT EXTRA CABLE Extra motor 10 poles cable for Easy models	202


VOYAGERG3 – MANUAL SATELLITE SYSTEM

	11091	VOYAGERG3 50	Kit without receiver: 50 cm dish, 5 mt coaxial cable, mast, knob	456
	11092	VOYAGERG3 65	Kit without receiver: 65 cm dish, 5 mt coaxial cable, mast, knob	518
	11093	VOYAGERG3 85	Kit without receiver: 85 cm dish, 5 mt coaxial cable, mast, knob	606



VOYAGERG3 DIGIMATIC - MANUAL SATELLITE SYSTEM

	11100	VOYAGERG3 DIGIMATIC 50	Kit without receiver: DSF8/E digital satellite finder, 50 cm dish, 5 mt coaxial cable, mast, knob.	714
	11101	VOYAGERG3 DIGIMATIC 65	Kit without receiver: DSF8/E digital satellite finder, 65 cm dish, 5 mt coaxial cable, mast, knob.	770
	11102	VOYAGERG3 DIGIMATIC 85	Kit without receiver: DSF8/E digital satellite finder, 85 cm dish, 5 mt coaxial cable, mast, knob.	862


OPTIONS ON DEMAND FOR VOYAGER G3

		LIGHT	Knob with turn counter for VoyagerG3	50
---	--	--------------	--------------------------------------	----

















SEARCH MODULE FOR MANUAL ANTENNAS









	11110	DSF80	Finder for Digital Satellites	192
	11125	DSF80/E	Finder for Digital Satellites for Voyager Matic and Voyager G3 Digimatic only	244

CARRY SAT PORTABLE SATELLITE KIT






	08923	CARRY SAT 65	Kit with AS65F dish, extension cable CB10, TP3, LNB	176
	08924	CARRY SAT 80	Kit with AS80F dish, extension cable CB10, TP3, LNB	188
	10028	CARRY SAT ALU 65	Kit with AS65F dish, extension cable CB10, TP3/ALU (aluminium), LNB	148
	10029	CARRY SAT ALU 80	Kit with AS80F dish, extension cable CB10, TP3/ALU (aluminium), LNB	158

ACCESSORIES


	06177	TP3	Tripod with rotating mast for portable satellite kit for dish up to 110cm	98
	09824	TP3 /ALU	Aluminium Tripod with rotating mast for portable satellite kit for dish up to 110cm	70
	11109	SPCA	Water-proof cable box on the aluminium roof	26
	09385	SPC	Water-proof cable box on the roof	16
	04277	CB10	Special coaxial cable for satellite, 10 mt long, with F connectors	18
	01068	CB5	Special coaxial cable for satellite, 5 mt long, with F connectors	14
	10030	INV 150	Inverter 12/230 Volt 150 W	72
	04754	AL3412 / 5012	Power supply 230Vac/12Vdc 1,2A for TSR5012 and TSR6012	48
	08888	AL 378	Stabilized power supply 12Volts/ 7 Ampères	172
	06860	PS47/2	Mast for square satellite antenna (Teleco and Technisat)	214
	06875	PS60	Mast for square satellite antenna	220
	08775	PS SOLAR	Reclining Mast for Solar Panels	264
	11481	VS058	Wireless stereo audio/video mini repeater with remote control extension	132
	07509	FSAT 1	Satfinder 950 – 2050 Mhz Pointer signal meter with incorporated beep.	20
	07437	CAD/P	Coupler for connecting an analog and digital receiver to the same system	36
	04730	CAD/S	Coupler for connecting the digital receivers Mikro Digital 1000CI and Falcon 12 to either an analog receiver TSR 5012 or a Magic Sat 2002A Control Box.	36
	08403	VK2	2 Scart Adapter	8

	03459	CF	Rubber cap for F connectors	0,52
	04551	F60	'F' connector for 6 mm coaxial cable	0,40
	03050	F50	'F' connector for 6 mm coaxial cable	0,40
	08349	BSAT	Compass	20
	05217	SAT 23	Coaxial cable Ø 5 mm for Satellite system	0,86
	05200	SAT 19	Coaxial cable Ø 6 mm for Satellite system for all MagicSat and Voyager	1,08
	01074	0820/RE	Coaxial cable Ø 5 mm for ground antennas	0,92
	10287	MSE	Spacer for wall mounting control panel for Magic Sat and Flatsat Easy	24


DIGITAL SATELLITE RECEIVERS

	08778	TSDR 5000CI 2 Common Interface	Satellite Digital Receiver with 2 Common Interfaces all Free to Air and Encrypted programs for systems SECA, VIACCESS, NEGRAVISION, IRDETO etc. by special CAM module (not supplied) and Smart Card (not supplied).	338
	11817	RDS 5000	Digital Satellite Receiver for Free to Air programs 12Vdc/230V, (power supply included), with MIR infrared expander	136
	11633	ILLUSION M2SI/12	Satellite Receiver with 1 CARD reader, 12Vdc/230V (power supply included), with MIR infrared expander	158
	11945	TDT 4U	New generation Receiver for High Definition unencrypted TV programs and standard Free to AirDVB-S programs, Mini remote control expander (MIR)	312
	11007	POWERCAM PRO	Seca and Viaccess module CAM	160



ANALOGUE SATELLITE RECEIVERS

	10119	TSR6012	Analogue Receiver Teleco 12 Volt equipped MIR infrared expander, 500 channels, 2 scart, separated audio, DDS	194
---	-------	----------------	--	-----






SATELLITE and TERRESTRIAL DIGITAL-RECEIVER

	11946	COMBO 1517 TS	Decoder for the latest generation of Digital TV. It can receive both terrestrial and satellite digital signals, expressly designed for the new TIVU' sat service. MPEG2 Complete resolution	<i>Release date to be advised</i>
--	-------	----------------------	---	-----------------------------------

DIGITAL TERRESTRIAL RECEIVERS

	11957	RDT 1000 SC	DVB – T Digital Terrestrial Minireceiver for Free to Air programs 12Vdc/230V, (power supply included), with MIR infrared expander	128
	11958	RDT 1000 PVR/12	DVB – T Digital Terrestrial Minireceiver for Free to Air programs 12Vdc/230V, (power supply included), with MIR infrared expander, USB port for recording pictures and TV programs	162

LCD FLAT SCREEN TELEVISION

	10586	TL 1510 BDPT	LCD- 15" Flat screen (4:3) with DVD and DVB-T 12Vdc and 230V, with Multistandard Tuner and Teletext.	534
	10893	TL 1572 DDCU	LCD 15:4" Flat screen (16:10) with DVD and DVB-T 12Vdc and 230V, with Multistandard Tuner and Teletext, USB port, Memory card slot	544
	11947	LTV 1511	LCD 15,6" 16:10 TV - DVD -DVB-T Receiver with Common Interface - USB port Memory Card slot - HDMI connector - Piano Black (Ivory)	<i>Release date to be advised</i>
	10035	TL 1703	LCD- 17" Flat screen (43 cm) 12Vdc and 230V, with Tuner and Teletext.	500
	10311	TL 1910 BDPT	LCD- 19" Flat screen (16:10) with DVD and DVB-T . 12Vdc and 230V, with Multistandard Tuner and Teletext.	674

REAR CAMERA



08782	WDRV 3005	Professional black and white rear camera with infrared system	394
-------	------------------	---	-----

ANALOGUE AND TERRESTRIAL TV ANTENNAS



00874	WEEKEND SUPER	Omnidir. 12/24 230V with amplifier AT36 and 5 mt cable	142
00871	WALKIE HG	Omnidir. double powered, 12/24 230V. amplifier. AT36 and 5 mt cable	206
01876	YACHTING	Omnidir. Nautical antenna.12/24V with amplifier AT36 and 20 mt cable	234
05254	YACHTING 5	Omnidir. Caravan antenna.12/24V with amplifier. AT36 and 5 mt cable	204
08345	WING	Omnidir. high speed, 12/24 230V with ampl. AT36 and 5 mt coax	158
08075	WING1	Omnidir. high speed, nautical,12/24 230V with ampl. AT36 and 5 mt coax	226
08076	WING2	Omnidir. high speed, double powered 12/24 230V.ampl. AT36 and 5 mt coax	230
00877	TELEPLUS	Directional 12/24 220V. with amplifier. AT36 and 5 mt coaxial cable	112
11111	TELEPLUS 3G	Directional 12/24 220V. with amplifier AT36, 5 mt coaxial cable, ZAMAK mast bracket	112
10036	TELEPLUS X2/165 VU	Digital and Analog Directive double polarity with mast 165 cm	172
11613	TELEPLUS X2/110 VU	Digital and Analog Directive double polarity with mast 110 cm	172
10037	TELEPLUS X2/39U	Digital and Analog Directive double polarity with mast 39 cm	168
00893	SF 165	Cm 165 aluminium watertight telescopic passing-through mounting	54
00891	SF 50	Cm 50 aluminium watertight telescopic passing-through mounting	32
00895	ST	Stainless steel masthead mounting for YACHTING	78
05232	AT36	Amplifier 12/24 230V 26Db	68
02885	SCS	Jack Plug	3,22

P.A.S. ELECTRIC BICYCLE



06545	ELECTRA	Electric bicycle equipped with Yamaha Power Assist System and battery charger	1.070
-------	----------------	--	-------